


Ss 304l 304 316 Stainless Steel Seamless Tubes Thickness 1.0 - 4.0mm Sus304h

Our Product Introduction

for more products please visit us on metalsstainless-steel.com

Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/904
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons




Product Specification

- Width: Or As Required
- Type: Plate, Coil, Sheet, tube
- Standard: ASTM, JIS, AISI, EN, GB
- Length: Customer's Request
- Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-5mm, 0.01-200mm
- Surface Treatment: Galvanized
- Technique: Cold Rolled, Hot Rolled
- Grade: SGCC
- Highlight: 4.0mm Sus316 Pipe,
316 Stainless Steel Seamless Tubes,
Sus304h Stainless Steel Seamless Tubes



More Images



Product Description

Ss 304l 304 316 Stainless Steel Seamless Tubes Thickness 1.0-4.0mm Sus304h

Both elements are expensive and increased quantities of either element will make the steel more expensive, with nickel being more expensive than chromium. In fact, it currently costs more than five cents to produce a five cent ("nickel") coin. There are grades of Type 300 series steel that are more corrosion resistant than Type 304 or Type 316, but because they have increased amounts of chromium and/or nickel, or some other alloying element(s), they are, consequently, more expensive.

Standard	AISI,ASTM,GB,JIS	Material	SGCC,S350GD+Z,S550GD+Z,DX51D,DX52D,DX53D
Thickness	0.16-5mm	Width	25-1500mm
Tolerance	+/-0.02mm	Zinc coating	60-275g/m2
Coil ID	508-610MM	Coil Weight	3-8 tons
Technique	Hot rolled, cold rolled	Package	seaworthy package
Certification	ISO 9001-2008,SGS,CE,BV	MOQ	25 TONS (in one 20ft FCL)
Delivery	15-20 days	Monthly Output	10000 tons
Surface treatment:	oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints		
Spangle	regular spangle,minimal spangle, zero spangle,big spangle		
Payment	30%T/T in advanced+70% balanced;irrevocable L/C at sight		
Remarks	Insurance is all risks and accept the third party test		
Mechanical properties of galvanized steel			
Usage	Grade	Yield strength(MPa)	Tensile strength(MPa)
Punching galvanized steel	DC51D+Z	-	270-500
	DC52D+Z	140-300	270-420
	DC53D+Z	140-260	270-380
Structure galvanized steel	S280GD+Z	≥280	≥360
	S350GD+Z	≥350	≥420
	S550GD+Z	≥550	≥560





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T, L/C, Credit Card, Weste



Wuxi Shengquan Metal Products Co., Ltd.



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City